

# INVOICE

**Client**

Debbi St Pierre  
Weber Valley Heights Association



**Remit To:**

Accounts Receivable  
Babcock Laboratories, Inc.\*  
P.O. Box 432  
Riverside, CA 92502-0432

Phone: (951) 653-3351

Fax: (951) 653-1662

**Invoice To:**

Debbi St Pierre  
Weber Valley Heights Association  
44350 Benton Rd.  
Hemet, CA, 92544  
(951) 767-0483

**Invoice Number**

BJ51525-4209M

**Invoiced On:**

10/20/15

**Terms**

NET 30 - Past due invoices subject to a 1.5% Finance Charge or \$10.00 minimum.

C.O.D. - Final report will be sent upon receipt of payment.

**PO Number:**

**Project Number**

Well 2

**Laboratory** B5J1696

**Numbers(s)**

**Client Samples:**

Well 2 - Faucet At Tank

Quantity	Analysis/Description	Matrix	Unit Cost	Extended Price
1	Coliforms P/A by MMO/MUG & HPC	Water	\$40.00	\$40.00
<b>Additional Items</b>				
1	Administrative charge		\$40.00	\$40.00
1	PAID - \$80 per Check #1365		\$0.00	\$0.00
<b>Invoice Total:</b>				<b>\$80.00</b>

RECORDED  
by J. Jones

FEB 04 2016



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 1 of 3  
 Project Name: Weber Valley DW-CCs  
 Project Number: Well 2

Report Date: 20-Oct-2015

Work Order Number: B5J1696

Received on Ice (Y/N): Yes Temp: 13 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5J1696-01	Well 2 - Faucet At Tank ---RESAMPLE---	Water	10/16/15 12:45	Deborah St Pierre	10/16/15 13:57	Debbi St Pierre

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2698  
 EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

**Client Name:** Weber Valley Heights Association  
**Contact:** Debbi St Pierre  
**Address:** 44350 Benton Rd.  
 Hemet, CA 92644

**Analytical Report:** Page 2 of 3  
**Project Name:** Weber Valley DW-CCs  
**Project Number:** Well 2

**Report Date:** 20-Oct-2016

**Work Order Number:** B5J1696  
**Received on Ice (Y/N):** Yes      **Temp:** 13 °C

Laboratory Reference Number  
**B5J1696-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 2 - Faucet At Tank	Water	10/16/15 12:45	10/16/15 13:57

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	11	1.0	CFU/mL	SM 9215B	10/18/15 14:05	cah	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	Absent	1.1	---	SM 9223B	10/17/15 11:25	cah	
E. coli	Absent	1.1	---	SM 9223B	10/17/15 11:25	cah	

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2698  
 EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
Contact: Debbi St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 3 of 3  
Project Name: Weber Valley DW-CCs  
Project Number: Well 2  
Work Order Number: B5J1896

Report Date: 20-Oct-2015


Received on Ice (Y/N): Yes Temp: 13 °C

**Notes and Definitions**

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- \* / \* : NELAP does not offer accreditation for this analyte/method/matrix combination

**Approval**

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

Digitally signed by: Sushmitha Reddy  
  
 DN: CN = Sushmitha Reddy C = US  
 Date: 2015.10.28 18:33:56 -07'00'

cc: RCHD

e-Short\_No Alias

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102



# INVOICE



**Client**  
Debbi St Pierre  
Weber Valley Heights Association

**Invoice To:**  
Debbi St Pierre  
Weber Valley Heights Association  
44350 Benton Rd.  
Hemet, CA, 92544  
(951) 767-0483

**Project Number**  
Well Monitoring

**Laboratory** B5J1519  
**Number(s)**

**Remit To:**  
Accounts Receivable  
Babcock Laboratories, Inc.  
P.O. Box 432  
Riverside, CA 92502-0432  
Phone: (951) 653-3351  
Fax: (951) 653-1662

**Invoice Number**  
BJ51490-4209M

**Invoice On:**  
10/20/15

**Terms**  
NET 80 - Past due invoices subject to a  
1.5% Finance Charge or \$10.00 minimum

C.O.D. - Final report will be sent upon  
receipt of payment.

**PO Number:**

**Client Samples:**  
Well 1 - Franko Resid...      Well 2 - Faucet At Tank

Quantity	Analysis/Description	Matrix	Unit Cost	Extended Price
2	Coliforms P/A by MMO/MUG & HPC	Water	\$40.00	\$80.00
2	Nitrate	Water	\$15.00	\$30.00
<b>Additional Items</b>				
1	PAID - \$110 per Check #1364		\$0.00	\$0.00
			<b>Invoice Total:</b>	<b>\$110.00</b>

RECORDED  
by J. Jones

FEB 04 2016



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 1 of 4  
 Project Name: Weber Valley DW-CCs  
 Project Number: Well Monitoring

Report Date: 20-Oct-2015

Work Order Number: B5J1519  
 Received on Ice (Y/N): Yes Temp: 6 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5J1519-01	Well 1 - Franko Residence ---ROUTINE---	Water	10/15/15 08:15	Deborah St Pierre	10/15/15 10:03	Deborah St. Pierre
B5J1519-02	Well 2 - Faucet At Tank ---ROUTINE---	Water	10/15/15 08:25	Deborah St Pierre	10/15/15 10:03	Deborah St. Pierre

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3361  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2898  
 EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debby St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 2 of 4  
 Project Name: Weber Valley DW-CCs  
 Project Number: Well Monitoring

Report Date: 20-Oct-2015

Work Order Number: B5J1519  
 Received on Ice (Y/N): Yes Temp: 6 °C

Laboratory Reference Number  
**B5J1519-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 1 - Franko Residence	Water	10/15/15 08:15	10/15/15 10:03

<u>Analyte(s)</u>	<u>Result</u>	<u>RDL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>	<u>Flag</u>
Anions							
Nitrate	25	1.0	mg/L	EPA 300.0	10/15/15 22:37	dcb	
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	8.0	1.0	CFU/mL	SM 9215B	10/17/15 14:35	osh	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	Absent	1.1	---	SM 9223B	10/16/15 10:25	aac	
E. coli	Absent	1.1	---	SM 9223B	10/16/15 10:25	aac	

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2698  
 EPA no. CA00162



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debby St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 3 of 4  
 Project Name: Weber Valley DW-CCs  
 Project Number: Well Monitoring

Work Order Number: B5J1518

Report Date: 20-Oct-2015

Received on Ice (Y/N): Yes Temp: 6 °C

Laboratory Reference Number  
**B5J1519-02**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 2 - Faucet At Tank	Water	10/15/15 08:25	10/15/15 10:03

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Anions							
Nitrate	12	1.0	mg/L	EPA 300.0	10/15/15 23:29	dcb	
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	13	1.0	CFU/mL	SM 9215B	10/17/15 14:35	cah	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	**PRESENT**	1.1	---	SM 9223B	10/16/15 10:25	aac	B-01
E. coli	Absent	1.1	---	SM 9223B	10/16/15 10:25	aac	

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2698  
 EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
Contact: Debbi St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 4 of 4  
Project Name: Weber Valley DW-CCs  
Project Number: Well Monitoring

Report Date: 20-Oct-2015


Work Order Number: **B5J1519**  
Received on Ice (Y/N): Yes Temp: 6 °C

**Notes and Definitions**

- B-01 Bacteriological result notification provided to Deborah St. Pierre on 10/16/15.
- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- \* / \*\* : NELAP does not offer accreditation for this analyte/method/matrix combination

**Approval**

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

 Digitally signed by: Sushmita Reddy  
DN: CN = Sushmita Reddy C = US  
Date: 2015.10.27 18:37:02 -07'00'

cc: RCHD

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 658 3351  
F 951 658 1662  
www.babcocklabs.com

e-Short\_No Alias  
NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102


**BABCOCK Laboratories, Inc.**
*The Standard of Excellence for Over 100 Years*

 Client Name: **Weber Valley Heights Association**

 Contact: **Debbi St Pierre**

 Address: **44350 Benton Rd.**
**Hemet, CA 92544**

 Report Date: **08-May-2015**

 Analytical Report: **Page 1 of 3**

 Project Name: **Weber Valley DW-CCs**

 Project Number: **Well 1 Franko Residence**
**Work Order Number: B5D2880**

 Received on Ice (Y/N): **Yes**      Temp: **9 °C**

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5D2880-01	Well 1 - Franko Residence ---RESAMPLE---	Water	04/29/15 08:15	Deborah St Pierre	04/29/15 09:18	Deborah St. Pierre

**RECORDED**  
by J. Jones

**mailing**  
P.O. Box 432  
Riverside, CA 92502-0432

**location**  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 2 of 3  
 Project Name: Weber Valley DW-CCs  
 Project Number: Well 1 Franko Residence

Report Date: 08-May-2015

Work Order Number: **B5D2880**  
 Received on Ice (Y/N): Yes Temp: 9 °C

Laboratory Reference Number

**B5D2880-01**

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
Well 1 - Franko Residence	Water	04/29/15 08:15	04/29/15 9:18

<u>Analyte(s)</u>	<u>Result</u>	<u>RDL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>	<u>Flag</u>
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	11	1.0	CFU/mL	SM 9215B	05/01/15 14:25	cah	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	Absent	1.1	----	SM 9223B	04/30/15 11:30	tng	
E. coli	Absent	1.1	----	SM 9223B	04/30/15 11:30	tng	

RECORDED  
 by J. Jones  
 AUG 12 2015

**mailing**  
 P.O. Box 482  
 Riverside, CA 92502-0432

**location**  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

NELAP no. 02101CA  
 CA Elap no. 2698  
 EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 1 of 3  
 Project Number: No Project  
 Project Name: Weber Valley DW-CCs

Report Date: 05-Aug-2015

**Work Order Number: B5G2726**

Received on Ice (Y/N): Yes Temp: 11°C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5G2726-01	Well 1 - Franko Residence ---ROUTINE---	Water	07/27/15 08:30	Client	07/27/15 10:00	Deborah St. Pierre
B5G2726-02	Well 2 - Faucet At Tank ---ROUTINE---	Water	07/27/15 08:45	Client	07/27/15 10:00	Deborah St. Pierre

**RECORDED**  
**by D. Ciudad Real**  
**SEP 02 2015**

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

CA ELAP No. 2698  
 EPA No. CA00102  
 LACSD No., 10119



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
Contact: Debbi St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 3 of 3  
Project Number: No Project  
Project Name: Weber Valley DW-CCs

Report Date: 05-Aug-2015

Work Order Number: **B5G2726**

Received on Ice (Y/N): Yes Temp: 11°C

### Notes and Definitions

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (**if MDL is reported**), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- \* / " : NELAP does not offer accreditation for this analyte/method/matrix combination

---

### Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

Digitally signed by: Sushmitha Reddy  
DN: CN = Sushmitha Reddy C = US  
Date: 2015.08.05 18:36:14 -07'00'

cc: RCHD

e-Tab\_Summary.rpt

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

CA ELAP No. 2698  
EPA No. CA00102  
LACSD No., 10119


**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 2 of 3  
 Project Number: No Project  
 Project Name: Weber Valley DW-CCs

Report Date: 06-May-2015

Work Order Number: B5D2596

Received on Ice (Y/N): Yes Temp: 2°C

	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b>B5D2596-01</b> <i>Sampled: 04/27/15 06:30</i>							
Well 1 - Franko Residence							
Heterotrophic Plate Count	39	1.0	CFU/mL	SM 9215B	04/29/15 12:40	tng	
Total Coliform	**PRESENT*	1.1	---	SM 9223B	04/28/15 09:45	cah	B-01
E. coli	Absent	1.1	---	SM 9223B	04/28/15 09:45	cah	
<b>B5D2596-02</b> <i>Sampled: 04/27/15 06:40</i>							
Well 2 - Faucet At Tank							
Heterotrophic Plate Count	4.0	1.0	CFU/mL	SM 9215B	04/29/15 12:40	tng	
Total Coliform	Absent	1.1	---	SM 9223B	04/28/15 09:45	cah	
E. coli	Absent	1.1	---	SM 9223B	04/28/15 09:45	cah	

**RECORDED**  
 by J. Jones

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

F 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

CA ELAP No. 2698  
 EPA No. CA00102  
 LACSD No. 10119


**BABCOCK Laboratories, Inc.**
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 1 of 3  
 Project Number: Well 1 Franko Res - Well 2 Tank  
 Project Name: Weber Valley DW-CCs

Report Date: 06-Feb-2015

Work Order Number: **B5A2711**

Received on Ice (Y/N): Yes Temp: 2°C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5A2711-01	Well 1 - Franko Residence ---ROUTINE---	Water	01/29/15 07:15	Debbi St Pierre	01/29/15 09:38	Debbi St Pierre
B5A2711-02	Well 2 - Faucet At Tank ---ROUTINE---	Water	01/29/15 07:50	Debbi St Pierre	01/29/15 09:38	Debbi St Pierre

**RECORDED**  
by J. Jones

AUG 12 2015

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

CA ELAP No. 2698  
EPA No. CA00102  
LACSD No., 10119



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 2 of 3  
 Project Number: Well 1 Franko Res - Well 2 Tank  
 Project Name: Weber Valley DW-CCs

Report Date: 06-Feb-2015

Work Order Number: **B5A2711**

Received on Ice (Y/N): Yes Temp: 2°C

	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
<b>B5A2711-01</b> <i>Sampled: 01/29/15 07:15</i>							
Well 1 - Franko Residence							
Heterotrophic Plate Count	11	1.0	CFU/mL	SM 9215B	01/29/15 14:25	tjc	
Total Coliform	**PRESENT*	1.1	---	SM 9223B	01/29/15 14:25	tjc	B-01
E. coli	Absent	1.1	---	SM 9223B	01/29/15 14:25	tjc	
<b>B5A2711-02</b> <i>Sampled: 01/29/15 07:50</i>							
Well 2 - Faucet At Tank							
Heterotrophic Plate Count	79	1.0	CFU/mL	SM 9215B	01/29/15 14:25	tjc	
Total Coliform	Absent	1.1	---	SM 9223B	01/29/15 14:25	tjc	
E. coli	Absent	1.1	---	SM 9223B	01/29/15 14:25	tjc	

RECORDED  
 by J. Jones

Aug 6 2015

**mailing**  
 P.O. Box 432  
 Riverside, CA 92502-0432

**location**  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

CA ELAP No. 2698  
 EPA No. CA00102  
 LACSD No., 10119



COUNTY OF RIVERSIDE  
DEPARTMENT OF ENVIRONMENTAL HEALTH

Steve Van Stockum, Director

Mail To: Weber Valley Heights Association

c/o President Jeff Hall  
44350 Benton Road  
Hemet, CA 94544

4 June 2015

Dear Jeff,

Weber Valley Heights Association (WVHA) will be required to submit four (4) resample's (one (1) from Well No. 1 and three (3) others from the distribution system). The well will need to be chlorinated to 4ppm (two (2) gallon bottles of household strength bleach for 6 hours and flushed and then resampled. This because, recent quarterly sampling analyzed on, 27 April 2015 revealed Total Coliform "PRESENT" (TCP) from Well No 1 at the Franco residence.

WVHA well No. 1 water for domestic use is violating the current state and federal maximum contamination level (MCL) for TC.

The California Department of Health Services (Department) sets drinking water standards and has determined that the presence of total coliform is a possible health concern. Total coliform are common in the environment and are generally not harmful themselves. The presence of these bacteria in drinking water, however, generally is a result of a problem with the source well or the pipes which distribute the water, and indicates that the water may be contaminated with organisms that can cause disease. It is therefore recommended that bottled water be used for drinking purposes until the resample indicate an "ABSENT" for TC.

If you have any questions, please call me.

Sincerely,

Greg Dellenbach, REH  
County of Riverside  
Environmental Protection and Oversight Division  
951-955-8980

CC Babcock Laboratories Results from 27 April 2015 Submittal



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
 Contact: Debbi St Pierre  
 Address: 44350 Benton Rd.  
 Hemet, CA 92544

Analytical Report: Page 1 of 3  
 Project Number: No Project  
 Project Name: Weber Valley DW-CCs

**Work Order Number: B5D2596**

Report Date: 06-May-2015

Received on Ice (Y/N): Yes Temp: 2°C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5D2596-01	Well 1 - Franko Residence ---RESAMPLE---	Water	04/27/15 06:30	Deborah St Pierre	04/27/15 10:50	Deborah St. Pierre
B5D2596-02	Well 2 - Faucet At Tank ---ROUTINE---	Water	04/27/15 06:40	Deborah St Pierre	04/27/15 10:50	Deborah St. Pierre

**RECORDED**  
 by D. Ciudad Real  
 MAY 26 2015

*mailing*  
 P.O. Box 432  
 Riverside, CA 92502-0432

*location*  
 6100 Quail Valley Court  
 Riverside, CA 92507-0704

P 951 653 3351  
 F 951 653 1662  
 www.babcocklabs.com

CA ELAP No. 2698  
 EPA No. CA00102  
 LACSD No., 10119



RECORDED  
by D. Ciudad Real

**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

**FEB 25 2015**

Client Name: Weber Valley Heights Association  
Contact: Debbi St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 1 of 3  
Project Name: Weber Valley DW-CCs  
Project Number: No Project

**Work Order Number: B5A2883**

Report Date: 12-Feb-2015

Received on Ice (Y/N): Yes Temp: 4 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

**Sample Identification**

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B5A2883-01	Well 1 - Franko Residence ---RESAMPLE---	Water	01/30/15 14:25	Client	01/30/15 15:34	Debbi St Pierre

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
*The Standard of Excellence for Over 100 Years*

Client Name: Weber Valley Heights Association  
Contact: Debbi St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 3 of 3  
Project Name: Weber Valley DW-CCs  
Project Number: No Project

**Work Order Number: B5A2883**

Report Date: 12-Feb-2015

Received on Ice (Y/N): Yes Temp: 4 °C

**Notes and Definitions**

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- \* / " : NELAP does not offer accreditation for this analyte/method/matrix combination

**Approval**

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

Digitally signed by: KayeLani Deener  
Date: 2015.02.13 09:17:30 -07'00'

cc: RCHD

e-Short\_No Alias

*mailing*  
P.O. Box 432  
Riverside, CA 92502-0432

*location*  
6100 Quail Valley Court  
Riverside, CA 92507-0704

P 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102



**BABCOCK Laboratories, Inc.**  
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association  
Contact: Debby St Pierre  
Address: 44350 Benton Rd.  
Hemet, CA 92544

Analytical Report: Page 1 of 1  
Project Name: Weber Valley DW-CCs  
Project Number: Well Monitoring

Work Order Number: B5J1519

Report Date: 20-Oct-2015

Received on Ice (Y/N): Yes Temp: 6 °C



**BABCOCK Laboratories, Inc.**  
The Standard of Excellence for Over 100 Years

8100 Quail Valley Court Riverside, CA 92507  
(951) 653-3351 • FAX (951) 653-1662  
www.babcocklabs.com

**Chain of Custody & Sample Information Record**

Client: <u>Weber Valley Heights Assn</u> Contact: <u>Debby St Pierre</u> Fax No. _____		Additional Reporting Remarks	
Phone No. <u>951-744-5039</u> email: _____		Invoice CC Data Package <input type="checkbox"/> Yes <input type="checkbox"/> No PAY Package <input type="checkbox"/> Yes <input type="checkbox"/> No Email Package <input type="checkbox"/> Yes <input type="checkbox"/> No State EDT <input type="checkbox"/> Yes <input type="checkbox"/> No (check Source Number in report)	
Project Name: _____		Turn Around Time: Routine *72 Hour Rush *48 Hour Rush *24 Hour Rush	
Project Location: _____		*Lab TAT Approval: _____ By: _____ *Additional Charges Apply	
Sampler Information		Matrix	
Name: <u>Debby St Pierre</u>		DW = Drinking Water WW = Waste Water GW = Ground Water S = Soils SL = Sludge L = Liquid M = Miscellaneous	
Employer: _____		Notes <u>PA #110.00</u> <u>Per ch #1364</u> <u>10/15/15 JB</u>	
Signature: _____			
Sample ID			
Date / Time			
Analysis Requested			
Well 1 - Franko Res <u>10/15/15 8:15</u>		Total # of Containers	
Well 1 - Franko Res <u>10/15/15 8:18</u>		Routine	
Well 1 - Franko Res <u>10/15/15 8:23</u>		Re-sample	
Well 1 - Franko Res <u>10/15/15 8:50</u>		Special	
Holding/Released By (sign)		Received By (sign)	
Print Name / Company		Print Name / Company	
Date / Time		Date / Time	
Signature		Signature	
Sample Integrity Upon Receipt/Acceptance Criteria		Lab No. _____	
Sample(s) Submitted on foot? <input checked="" type="radio"/> Yes <input type="radio"/> No		Sample meets laboratory acceptance criteria? <input checked="" type="radio"/> Yes <input type="radio"/> No	
Custody Seal(s) Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No <u>(NA)</u>		Permission to continue: <input checked="" type="radio"/> Yes <input type="radio"/> No	
Sample(s) Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No		Deviation/Notes: _____	
Temperature: <u>6</u> °C <input type="checkbox"/> Cooler Blank		Signature/Date: _____	
		Logged in By/Date: _____	
		Page <u>OCT 15 2015</u>	
		Page _____ of _____	

mailing  
P.O. Box 482  
Riverside, CA 92502-0482

location  
6100 Quail Valley Court  
Riverside, CA 92507-0704

F 951 653 3351  
F 951 653 1662  
www.babcocklabs.com

NELAP no. 02101CA  
CA Elap no. 2698  
EPA no. CA00102