



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

RECEIVED

FEB 23 2016

County of Riverside • Environmental Health Department
 ENVIRONMENTAL PROTECTION & OVERSIGHT DIVISION
 LAND USE & WATER ENGINEERING PROGRAM

Client Name: Weber Valley Heights Association
Contact: Debbl St Pierre
Address: 44350 Benton Rd.
 Hemet, CA 92544

Analytical Report: Page 1 of 3
Project Number: No Project
Project Name: Weber Valley DW-CCs

Report Date: 03-Feb-2016

Work Order Number: B8A2312

Received on Ice (Y/N): Yes **Temp:** 3°C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

Sample Identification

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B8A2312-01	Well 1 - Franko Residence -- -ROUTINE---	Water	01/26/16 07:30	Deborah St Pierre	01/26/16 11:00	Deborah St. Pierre
B8A2312-02	Well 2 - Hall Residence -- -ROUTINE---	Water	01/26/16 07:15	Jeff Hall	01/26/16 11:00	Deborah St. Pierre

mailing
 P.O. Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2696
 EPA No. CA00162
 LACSD No., 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

RECEIVED

FEB 23 2016

County of Riverside • Environmental Health Department
 ENVIRONMENTAL PROTECTION & OVERSIGHT DIVISION
 LANDUSE & WATED ENGINEERING PROGRAM

Client Name: Weber Valley Heights Association
Contact: Debbi Si Pierre
Address: 44350 Benton Rd.
 Hemet, CA 92544

Analytical Report: Page 2 of 3
Project Number: No Project
Project Name: Weber Valley DW-CCs

Report Date: 03-Feb-2016

Work Order Number: B6A2312

Received on Ice (Y/N): Yes **Temp:** 3°C

	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
B6A2312-01 <i>Sampled: 01/28/16 07:30</i>							
Well 1 - Franko Residence							
Heterotrophic Plate Count	18	1.0	CFU/mL	SM 9215B	01/28/16 11:30	jmb	
Total Coliform	Absent	1.1	---	SM 9223B	01/27/16 09:05	aac	
E. coli	Absent	1.1	---	SM 9223B	01/27/16 09:05	aac	
B6A2312-02 <i>Sampled: 01/26/16 07:15</i>							
Well 2 - Hall Residence							
Heterotrophic Plate Count	58	1.0	CFU/mL	SM 9215B	01/28/16 11:30	jmb	
Total Coliform	Absent	1.1	---	SM 9223B	01/27/16 09:05	aac	
E. coli	Absent	1.1	---	SM 9223B	01/27/16 09:05	aac	

mailing
 P.O. Box 482
 Riverside, CA 92502-0482

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

F 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 LACSD No., 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

RECEIVED

FEB 23 2016

County of Riverside • Environmental Health Department
ENVIRONMENTAL PROTECTION & OVERSIGHT DIVISION
 LANDUSE & WATER ENFORCEMENT PROGRAM

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Barton Rd.
 Hemet, CA 92544

Analytical Report: Page 3 of 3
Project Number: No Project
Project Name: Weber Valley DW-CCs

Report Date: 03-Feb-2016


Work Order Number: B6A2312
Received on Ice (Y/N): Yes **Temp:** 3°C

Notes and Definitions

- ND:** Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR:** Not Reported
- RDL:** Reportable Detection Limit
- MDL:** Method Detection Limit
- * / " :** NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.



cc: RCHD

mailing
 P.O. Box 482
 Riverside, CA 92502-0482

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

c-Tab_Summary.rpt
 CA ELAP No. 2698
 EPA No. CA00102
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

RECEIVED
FEB 23 2016

Client Name: **Weber Valley Heights Association**
Contact: **Debbi St Pierre**
Address: **44350 Benton Rd.**
Hemet, CA 92544

Analytical Report: **Page 1 of 1**
Project Number: **No Project**
Project Name: **Weber Valley DW-CCs**

County of Riverside • Environmental Health Department
ENVIRONMENTAL PROTECTION & OVERSIGHT DIVISION
LAND USE & WATER ENGINEERING PROGRAM

Work Order Number: **B5A2312**

Report Date: **03-Feb-2016**

Received on Ice (Y/N): **Yes** Temp: **3°C**



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

6100 Quail Valley Court, Riverside, CA 92507
(951) 653-3351 • FAX (951) 653-1662
www.babcocklabs.com

Chain of Custody & Sample Information Record

Client: Weber Valley Heights Assn Contact: Debbi Fax No.		Additional Reporting Requests																																																
Phone No: 951-744-5059 email: None		<input type="checkbox"/> Hard Copy Data Package <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> FAX Results <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Email Results <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Onsite EDT <input type="checkbox"/> Yes <input type="checkbox"/> No <small>(Include Source Number in Notes)</small>																																																
Project Name: _____ Turn Around Time: <input type="checkbox"/> Routine <input type="checkbox"/> *72 Hour Rush <input type="checkbox"/> *48 Hour Rush <input type="checkbox"/> *24 Hour Rush		*Additional Charges Apply																																																
Project Location: _____ *Lab TAT Approval: _____ By: _____																																																		
Sampler Information Name: Jeff Hall - well 2 Debbi St. Pierre - well 1 Employer: _____ Signature: _____		# of Containers & Preservatives Unpreserved: _____ HCl: _____ HNO ₃ : _____ NaOH: _____ H ₂ O ₂ : _____ H ₂ SO ₄ : _____ H ₂ CO ₃ : _____ PDC: _____ Total # of Containers: _____ Sample Type Routine: _____ Special: _____ Analysis Requested _____ Matrix DW = Drinking Water WW = Waste Water GW = Ground Water B = Source S = Sludge L = Liquid M = Miscellaneous																																																
<table border="1"> <thead> <tr> <th>Sample ID</th> <th>Date</th> <th>Time</th> <th>Unpreserved</th> <th>HCl</th> <th>HNO₃</th> <th>NaOH</th> <th>H₂O₂</th> <th>H₂SO₄</th> <th>H₂CO₃</th> <th>PDC</th> <th>Total # of Containers</th> <th>Sample Type</th> <th>Analysis Requested</th> <th>Matrix</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>Well 1 - Frank's Residence</td> <td>1/24/16</td> <td>7:30 AM</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td rowspan="2">Prepared per OK # 1372 \$80.00</td> </tr> <tr> <td>Well 2 - Hall Residence</td> <td>1/24/16</td> <td>7:50 AM</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Sample ID	Date	Time	Unpreserved	HCl	HNO ₃	NaOH	H ₂ O ₂	H ₂ SO ₄	H ₂ CO ₃	PDC	Total # of Containers	Sample Type	Analysis Requested	Matrix	Notes	Well 1 - Frank's Residence	1/24/16	7:30 AM													Prepared per OK # 1372 \$80.00	Well 2 - Hall Residence	1/24/16	7:50 AM														
Sample ID	Date	Time	Unpreserved	HCl	HNO ₃	NaOH	H ₂ O ₂	H ₂ SO ₄	H ₂ CO ₃	PDC	Total # of Containers	Sample Type	Analysis Requested	Matrix	Notes																																			
Well 1 - Frank's Residence	1/24/16	7:30 AM													Prepared per OK # 1372 \$80.00																																			
Well 2 - Hall Residence	1/24/16	7:50 AM																																																
Relinquished By (sign): Debbi St Pierre		Print Name / Company: Angie Brown/ESB																																																
Print Name / Company: _____		Date / Time: 1/26/16 11:00 AM																																																
Received By (sign): Debbi St Pierre		Print Name / Company: _____																																																
Print Name / Company: _____		Date / Time: _____																																																
(For Lab Use Only) Sample Integrity Upon Receipt/Acceptance Criteria Sample(s) Submitted on Ice? <input checked="" type="radio"/> Yes <input type="radio"/> No Custody Seal(s) Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A Sample(s) Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No Temperature: _____ <input type="checkbox"/> Cooler Blank Sample meets laboratory acceptance criteria? <input checked="" type="radio"/> Yes <input type="radio"/> No Permission to continue: <input checked="" type="radio"/> Yes <input type="radio"/> No Deviation/Notes: _____ Signature/Date: _____		Lab No: B5A2312 JAN 24 2016 Logged in By/Date: NUR Page 1 of 1 <small>Rev. 2/09</small>																																																

mailing
P.O. Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 653 3351
F 951 653 1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
LACSD No., 16119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Benton Rd.
 Hemet, CA 92544

Analytical Report: Page 2 of 3
Project Number: No Project
Project Name: Weber Valley DW-CCs

Report Date: 04-Nov-2016

Work Order Number: B6J2658

Received on Ice (Y/N): Yes **Temp:** 5°C

	Result	RD/L	Units	Method	Analysis Date	Analyst	Flag
B6J2658-01 Sampled: 10/26/16 08:30							
Well 1 - Franko Resl							
Nitrate as N	2.7	0.20	mg/L	EPA 300.0	10/27/16 02:28	dcb	
Heterotrophic Plate Count	630	1.0	CFU/mL	SM 9215B	10/28/16 13:10	ear	
Total Coliform	Absent	1.1	---	SM 9223B	10/27/16 09:25	ing	
E. coli	Absent	1.1	---	SM 9223B	10/27/16 09:25	ing	
B6J2658-02 Sampled: 10/26/16 07:50							
Well 2 - Hall Resl							
Nitrate as N	2.8	0.20	mg/L	EPA 300.0	10/27/16 02:37	dcb	
Heterotrophic Plate Count	820	1.0	CFU/mL	SM 9215B	10/28/16 13:10	ear	
Total Coliform	Absent	1.1	---	SM 9223B	10/27/16 09:25	ing	
E. coli	Absent	1.1	---	SM 9223B	10/27/16 09:25	ing	

mailing
 P.O. Box 482
 Riverside, CA 92502-0482

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 663 8861
 F 951 663 1862
www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No., 10119

**BABCOCK Laboratories, Inc.**
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
Contact: Debbl St Pierre
Address: 44350 Benton Rd.
Hemet, CA 92544

Analytical Report: Page 3 of 3
Project Number: No Project
Project Name: Weber Valley DW-CCs

Report Date: 04-Nov-2016

Work Order Number: B6J2658

Received on Ice (Y/N): Yes Temp: 5°C

Notes and Definitions

ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)

NR: Not Reported

RDL: Reportable Detection Limit

MDL: Method Detection Limit

* / " : NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

KayeLani A. Deener For Alexandria L. Guerra

cc: RCHD

mailing
P.O. Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 858 3351
F 951 853 1052
www.babcocklabs.com

e-Tab_Summary.rpt
CA ELAP No. 2608
EPA No. CA00102
NELAP No. OR408A
LACSD No., 10118



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Benton Rd.
Hemet, CA 92544

Analytical Report: Page 2 of 4
Project Name: Weber Valley DW-CCs
Project Number: No Project

Report Date: 02-Aug-2016

Work Order Number: **B6G2087**

Received on Ice (Y/N): Yes Temp: 3 °C

Laboratory Reference Number
B6G2087-01

Sample Description

Well 1 - Franko Residence

Matrix
Water

Sampled Date/Time
07/22/16 07:15

Received Date/Time
07/22/16 8:45

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	2.0	1.0	CFU/mL	SM 9215B	07/24/16 13:40	ams	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	Absent	1.1	---	SM 9223B	07/23/16 09:50	ams	
E. coli	Absent	1.1	---	SM 9223B	07/23/16 09:50	ams	

RECORDED
by D. Ciudad Real
NOV 01 2016

mailing
P.O. Box 482
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 658 3851
F 951 658 1662
www.babcocklabs.com

CA ELAP No. 2808
EPA No. CA00102
NELAP No. QR4035



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Benton Rd.
Hemet, CA 92544
Report Date: 02-Aug-2016

Analytical Report: Page 3 of 4
Project Name: Weber Valley DW-CCs
Project Number: No Project

Work Order Number: **B6G2087**
Received on Ice (Y/N): Yes Temp: 3 °C

Laboratory Reference Number
B6G2087-02

Sample Description
Well 2 - Hall Residence
Matrix
Water
Sampled Date/Time
07/22/16 07:00
Received Date/Time
07/22/16 8:45

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Heterotrophic Plate Count - SM 9215 B							
Heterotrophic Plate Count	24	1.0	CFU/mL	SM 9215B	07/24/16 13:40	ams	
MMOMUG - Presence/Absence - SM 9223 B							
Total Coliform	Absent	1.1	----	SM 9223B	07/23/16 09:50	ams	
E. coli	Absent	1.1	----	SM 9223B	07/23/16 09:50	ams	



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
 Contact: Debbi St Pierre
 Address: 44350 Benton Rd.
 Hemet, CA 92544

Analytical Report: Page 4 of 4
 Project Name: Weber Valley DW-CCs
 Project Number: No Project

Report Date: 02-Aug-2016

Work Order Number: **B6G2087**
 Received on Ice (Y/N): Yes Temp: 3 °C

Notes and Definitions

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- * / ** : NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted. Babcock Laboratories and its officers and employees assume no responsibility and make no warranty, express or implied, for uses or interpretations made by any recipients, intended or unintended, of this report.

KayeLani A. Deener For Alexandria L. Guerra

cc: RCHD

mailing
 P.O. Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 663 1662
 www.babcocklabs.com

e-Short_No Alias.rpt

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACS No., 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Benton Rd.
Hemet, CA 92544

Report Date: 04-Nov-2016
Work Order Number: BSJ2658
Received on Ice (Y/N): Yes Temp: 5°C

Analytical Report: Page 1 of 3
Project Number: No Project
Project Name: Weber Valley DW-LCS

Client Name: Weber Valley Heights Association
Contact: Debbi St Pierre
Address: 44350 Benton Rd.
Hemet, CA 92544

Report Date: 04-Nov-2016
Work Order Number: B6J2658
Received on Ice (Y/N): Yes Temp: 5°C

Analytical Report: Page 2 of 3
Project Number: No Project
Project Name: Weber Valley DW-LCS

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client services department.

Sample Identification

Lab Sample #	Client Sample ID	Matrix	Date Sampled	By	Date Submitted	By
B6J2658-01	Well 1 - Franko Resi - ROUTINE--	Water	10/28/16 08:30	Jeff Hall	10/28/16 10:45	Debbi St Pierre
B6J2658-02	Well 2 - Hall Resi - ROUTINE--	Water	10/28/16 07:50	Jeff Hall	10/28/16 10:45	Debbi St Pierre

B6J2658-01 Sampled: 10/28/16 08:30

Well 1 - Franko Resi

Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Nitrate as N	2.7	0.20	mg/L EPA 300.0	10/27/16 02:28	dcb	
Heterotrophic Plate Count	630	1.0	CFU/mL SM 9215B	10/28/16 13:10	sar	
Total Coliform	Absent	1.1	SM 9223B	10/27/16 09:25	brg	
E. coli	Absent	1.1	SM 9223B	10/27/16 09:25	brg	

B6J2658-02 Sampled: 10/28/16 07:50

Well 2 - Hall Resi

Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Nitrate as N	2.6	0.20	mg/L EPA 300.0	10/27/16 02:37	dcb	
Heterotrophic Plate Count	620	1.0	CFU/mL SM 9215B	10/28/16 13:10	sar	
Total Coliform	Absent	1.1	SM 9223B	10/27/16 09:25	brg	
E. coli	Absent	1.1	SM 9223B	10/27/16 09:25	brg	

RECORDED
by D. Ciudad Real
NOV 10 2016

<i>mailing</i> P.O. Box 482 Riverside, CA 92502-0152	<i>location</i> 6100 Quail Valley Court Riverside, CA 92507-0704	<i>mailing</i> P.O. Box 482 Riverside, CA 92502-0482	<i>location</i> 6100 Quail Valley Court Riverside, CA 92507-0704	P 951 653 3351 F 951 653 1632 www.babcocklabs.com	P 951 653 3351 F 951 653 1632 www.babcocklabs.com	CA ELAP No. 2688 EPA No. CA00102 NELAP No. OR-4095 LACSD No. 10119	CA ELAP No. 2688 EPA No. CA00102 NELAP No. OR-4095 LACSD No. 10119
--	--	--	--	---	---	---	---